Plant Pathology

A record of current work on plant diseases and pests

INDEX
VOLUME 21, 1972

Author : *pages* iii-v
Subject : *pages* vi-x

LONDON: HER MAJESTY'S STATIONERY OFFICE

Plant Pathology

AUTHOR INDEX

A'BROOK, JOHN (*joint author*). see Benigno, D. A., 142–4.

A'BROOK, JOHN. Lolium Mottle Virus, 118–20.

AHMED, S. N. (*joint author*), see Whitehead, A. G., 155–7.

ALFORD, D. V. Chemical Control of the Strawberry Mite on Mown and Unmown Strawberry Plants, 92–4.

BAKER, LILIAN, A. E. (*joint author*), see Bateson, Mary, 146.

BATESON, MARY and BAKER, LILIAN, A. E. Oozing Gills and Brown Blotch in Mushroom caused by a *Pseudomonas* sp. resembling *Pseudomonas cichorii*, 146.

BENIGNO, D. A. and A'BROOK, JOHN. Studies on the Host Range and Properties of Cocksfoot Mottle and Phleum Mottle Viruses, 142–4.

BILLING, EVE (*joint author*), see Eden-Green, S. J., 121–3.

BOYD, A. E. W. and TICKLE, J. H. Dry rot of Potato Tubers caused by *Fusarium sulphureum* Schlecht., 195.

BURCHILL, R. T. Comparison of Fungicides for suppressing Ascospore Production by *Venturia inaequalis* (Cke.) Wint., 19–22.

BYFORD, W. J. The Incidence of Sugar Beet Seedling Diseases and Effects of Seed Treatment in England, 16–19.

CARDEN, P. W. Parasitism of the Cabbage Whitefly (*Aleyrodes proletella* (L.)), 145.

COOK, R. Reaction of Some Oat Cultivars to *Meloidogyne naasi*, 41–3.

CRITCHLEY, B. R. Effects of Three Soil Fumigants on Carabidae, 188–94.

DALE, W. T. (*joint author*), see Hollings, M., 46–7

DICKER, G. H. L. An Effect of Cultural Practice on Populations of *Clepsis spectrana* (Treits.) (Lep., Tortricidae) on Black Currant, 67–8.

DIXON, G. M. and ROGERSON, J. P. The Use of Insecticidal Seed Dressings as a Means of Decreasing a Population of Wheat Bulb Fly (*Leptohylemyia coarctata* (Fall.)), 133–6.

DIXON, G. R. Effects of Thiabendazole on Verticillium Wilt of Lucerne, 129–32.

DONCASTER, C. C. (*joint author*), see Hooper, D. J., 46.

EDEN-GREEN, S. J. and BILLING, EVE. Fireblight: Occurrence of Bacterial Strands on Various Hosts under Glasshouse Conditions, 121–3.

FARRAR, E. and FROST, R. R. A New Disease of Roses in Britain, 97.

FINNEY, J. R. and HALL, D. W. The Effect of an Autumn Attack of Mildew (*Erisyphe graminis*) on the Growth and Development of Winter Barley, 73–6.

FLETCHER, J. T. and GRIFFIN, M. J. Verticillium Wilt of Pelargoniums, 158–62.

FLETCHER, J. T. and MARTIN, J. A. Spread and Control of Fusarium Wilt of Carnations, 182–7.

FRASER, JANET E. (*joint author*), see Whitehead, A. G., 112–3.

FRENCH, N. and LUDLAM, F. A. B. Chemical Control of Red Spider Mite on Glasshouse Roses, 99–104.

FROST, R. R. (*joint author*), see Farrar, E., 97.

GIBSON, R. W. (*joint author*), see Wightman, J. A., 69–72.

GOULD, H. J. and WEBLEY, D. Field Trials for the Control of Slugs on Winter Wheat, 77–82.

GOULD, H. J. (*joint author*), see Vernon, J. D. R., 1–9.

GRIFFIN, M. J. Black Stem Rot (*Pythium splendens*) of Pelargonium, 95.

GRIFFIN, M. J. (*joint author*), see Fletcher, J. T., 158–62.

HALL, D. W. (*joint author*), see Finney, J. R., 73–6.

HARGREAVES, A. J. (*joint author*), see Jarvis, W. R., 47.

HARGREAVES, A. J. (*joint author*), see Jarvis, W. R., 48.

HESLING, J. J. Host Plants of Tulip Stem Eelworm (*Ditylenchus dipsaci*), 109–11.

HOLLINGS, M. and STONE, OLWEN M. Tomato Ringspot Virus in Pelargonium in England, 46–7.

HOOPER, D. J. and DONCASTER, C. C. Stem and inflorescence galls on yarrow (*Achillea millefolium* L.) caused by the nematode *Anguina millefolii* (Löw, 1874) Filipjev, 1936, 46.

JARVIS, W. R. and HARGREAVES, A. J. *Coniothyrium fragariae* on Strawberry in Scotland, 47.

JARVIS, W. R. and HARGREAVES, A. J. Raspberry lateral wilt associated with *Fusarium avenaceum*, 48.

JEMMETT J. L. (*joint author*), see Jenkins, J. E. E., 49–58.

JENKINS, J. E. E., MELVILLE, S. C. and JEMMET, J. L. The Effect of Fungicides on Leaf Diseases and on Yield in Spring Barley in South-west England, 49–58.

JONES, A. T. and MURANT, A. F. Some Properties of a Mechanically Transmissible Virus Widespread in Raspberry (*Rubus idaeus*) in Scotland, 166–70.

JONES, MARGARET G. Continuous Breeding of Wheat Bulb Fly, *Leptohylemyia coarctata* (Fall.), 124–8.

JONES, MARGARET G. The Egg-shell of the Cabbage Root Fly, *Erioischia brassicae* (Bouché), 84–5.

JONES, MARGARET G. The Egg-shell of the Wheat Bulb Fly, *Leptohylemyia coarctata* (Fall.), 83.

KENNEDY, D. M. (*joint author*), see Montgomerie, Isabel, G., 35–7.

KENNEDY, D. M. (*joint author*), see Montgomerie, Isabel, G., 38–40.

KING, J. E. Surveys of Foliar Diseases of Spring Barley in England and Wales 1967–70, 23–35.

LANHAM, CAROL A. (*joint author*), see Melville, S. C., 59–66.

LAPWOOD, D. H. The Relative Importance of Weather, Soil- and Seed-borne Inoculum in determining the Incidence of Common Scab (*Streptomyces scabies*) in Potato Crops, 105–8.

LELLIOTT, R. A. (*joint author*), see Bateson, Mary, 146.

LIGHT, W. I. ST. G. and LUDLAM, F. A. B. The Effects of Fruit Tree Red Spider Mite (*Panonychus ulmi*) on Yield of Apple Trees in Kent, 175–81.

LUDLAM, F. A. B. (*joint author*), see French, N., 99–104.

Ludlam, F. A. B. (*joint author*), see Light, W. I. St. G., 175–81.

MARTIN, J. A. (*joint author*), see Fletcher, J. T., 182–7.

MELVILLE, S. C. and LANHAM, CAROL A. A Survey of Leaf Diseases of Spring Barley in South-west England, 59–66.

MELVILLE, S. C. (*joint author*), see Jenkins, J. E. E., 49–58.

MONTGOMERIE, ISABEL G. and KENNEDY, D. M. Evaluation of Three Fungicides and one Systemic Insecticide for Control of Red Core of Strawberry, 35–7.

MONTGOMERIE, ISABEL G. and KENNEDY, D. M. Race and Pathogenicity of *Phytophthora fragariae* from a Red Core Outbreak in Hampshire, 38–40.

MOWAT, W. P. A Necrotic Disease of Tulip Caused by Tomato Bushy Stunt Virus, 171–4.

MURANT, A. F. (*joint author*), see Jones, A .T., 166–70.

PARROTT, D. M. and TRUDGILL, D. L. The Resistance of Hybrids of *Solanum tuberosum* ssp. *andigena* and *S. multidissectum* to *Heterodera rostochiensis* Pathotype E., 86–8.

PATERSON, W. G. W. A New Race of *Plasmodiophora brassicae* Woron., 145.

PRIOR, R. N. B. *Rhodobium porosum* (Sand.): an Introduced Aphid Pest of Roses and Strawberries, 98.

RIORDAIN, F. O. Drippy Gill (*Pseudomonas agarici* Young) of Mushrooms, 146.

ROGERSON, J. P. (*joint author*), see Dixon, G. M., 133–6.

SHAW, M. W. Damage to Carrots by Larvae of *Pegohylemyia fugax* (Meig.), 96–7.

SHAW, M. W. The Separation of Eggs of *Erioischia brassicae* and *E. floralis* in Swede Crops, 10–15.

SHIPTON, P. J. Influence of Stubble Treatment and Autumn Application of Nitrogen to Stubbles on the subsequent Incidence of Take-all and Eyespot, 147–55.

SIMMONDS, S. P. Observations on the Control of *Tetranychus urticae* on Roses by *Phytoseiulus persimilis*, 163-5.

SPARROW, L. A. D. *Aulacaspis rosae* on a Rose Species in Scotland, 96.

SPURDON, C. (*joint author*), see Stevens, W. A., 195–6.

STEVENS, W. A. and SPURDON, C. Green Petal Disease of Primula, 195–6.

STONE, OLWEN M. (*joint author*), see Hollings, M., 46–7.

TICKLE, J. H. (*joint author*), see Boyd, A. E. W., 195.

TITE, D. J. (*joint author*), see Whitehead, A. G., 89–92.

TRUDGILL, D. L. (*joint author*), see Parrott, D. M., 86–8.

VALDEZ, R. B. A Micro-container Technique for Studying Virus Transmission by Nematodes, 114–7.

VERNON, J. D. R. and GOULD, H. J. Further Trials on Alternatives to DDT for the Control of Pre-blossom Pests on Apple and Pear, 1–9.

WEBLEY, D. (*joint author*), see Gould, H. J., 77–82.

WHITEHEAD, A. G. and AHMED, S. N. Effect of 'Dowco 275', a New Organophosphorus Nematicide, on Potato Cyst Nematode, 155–7.

WHITEHEAD, A. G. and FRASER, JANET E. Injury to Field Beans (*Vicia faba* L.) by *Tylenchorhynchus dubius*, 112–3.

WHITEHEAD, A. G. and TITE, D. J. Control of Stem Nematode (*Ditylenchus dipsaci*) attacking Onions by Aldicarb and Dazomet in Sandy Loam, 89–92.

WIGHTMAN, J. A. and GIBSON, R. W. Comparison of the Distributions of the Pink and the Green Biotypes of the Potato Aphid, *Macrosiphum euphorbiae* (Thos.), on Potato Plants, 69–72.

WILDING, NEIL. The Effect of Systemic Fungicides on the Aphid Pathogen *Cephalosporium aphidicola*, 137–9.

SUBJECT INDEX

Agrostis nebulosa: Hosts of Phleum Mottle Virus, 143.

Aldicarb for Control of:
Ditylenchus dipsaci in Onions, 89.
Red Spider Mite on Glasshouse Roses, 100.

Aleyrodes proletella, 145.

Amara aluica, 189.

Amara bifrons, 189.

Amara sp., 189.

Anguina millefolii, 46.

Anisodactylus binotatus, 189.

Anthoxanthum aristatum: Host of Cocksfoot Mottle Virus, 143.

Apera spica-venti: Hosts of Phleum Mottle Virus, 143.

Aphanomyces cochlioides,17

Aphanomyces sp., 17.

Aphids:
Control with Insecticides of Apple-grass and Pear-bedstraw Aphids, 6.
Distribution of Pink and Green Biotypes of *Macrosiphum euphorbiae* on Potato Plants, 69.
Effect of Systemic Fungicides on Aphid Pathogen, *Cephalosporium aphidicola*, 137.
Rhodobium porosum introduced into England, 98.

Apple:
Alternatives to DDT to control Preblossom Pests, 1.
Effects of Fruit Tree Red Spider Mite on Yield, 175.
Fungicides for suppressing Ascospore Production by *Venturia inaequalis*, 19.
Occurrence of Strands of *Erwinia amylovora*, 122.

Arabis Mosaic Virus: Technique for studying Transmission by Nematodes, 114.

Asaphidion flavipes, 189.

Aulacaspis rosae, 96.

Avena spp.: Hosts of Cocksfoot Mottle Virus, 143.

Azinphos-methyl for Control of:
Apple-grass Aphid, 6.
Apple Blossom Weevil, 6.
Apple Capsid, 6.
Apple Sucker, 5.
Pear-bedstraw Aphid, 6.
Tortricids on Apple, 4.
Winter Moth, 3.

Bacillus thuringiensis for Control of Apple Capsid, 6.

Barley:
Effect of Autumn Mildew on Winter Barley, 73.
Effect of Fungicides on Leaf Diseases and Yield, 49.
Influence of Stubble Treatment and Autumn Nitrogen on Incidence of Take-all and Eyespot, 147.
Surveys of Foliar Diseases in England and Wales 1967–70, 23.
Survey of Leaf Diseases of Spring Barley in South-west England, 59.

Bayer 22555 for Control of Strawberry Red Core, 35.

Bean (*Phaseolus*): Host of Tulip Stem Eelworm, 110.

Bean (*Vicia*):
Host of Tulip Stem Eelworm, 110.
Injury by *Tylenchorhynchus dubius*, 112.

Beet (Red): Host of Tulip Stem Eelworm, 110.

Bembidion femoratum, 189.

Bembidion lampros, 189.

Bembidion obtusum, 189.

Bembidion tetracolum, 189.

Benomyl: Effect on *Cephalosporium aphidicola in vitro*, 137.

Benomyl for Control of:
Fusarium Wilt of Carnations, 182.
Strawberry Red Core, 35.
Sugar Beet Seedling Diseases, 18.
Verticillium Wilt of Pelargoniums, 161.

Binapacryl for Control of Red Spider Mite on Glasshouse Roses, 100.

Biological Control: Control of *Tetranychus urticae* by *Phytoseiulus persimilis* on Roses, 163.

Black Currant: Effect of Cultural Practice on *Clepsis spectrana*, 67.

Bradycellus harpalinus, 189.

Brassicas:
New Race of *Plasmodiophora brassicae*, 145.
Parasitism of Cabbage Whitefly, 145.

Breeding: Wheat Bulb Fly, 124.

Broccoli: Host of Tulip Stem Eelworm, 110.

Bromus spp.: Hosts of Cocksfoot Mottle Virus and Phleum Mottle Viruses, 143.

Brussels Sprouts: Host of Tulip Stem Eelworm, 110.

Cabbage:
Egg-shell of Root Fly, 84.
Host of Tulip Stem Eelworm, 110.

Calathus fuscipes, 189.

Calathus melanocephalus, 189.

Carabus violaceus L., 189.

Carnation: Spread and Control of Fusarium Wilt, 182.

Carrot:
Damage by Larvae of *Pegohylemyia fugax*, 96.
Host of Tulip Stem Eelworm, 110.

Cauliflower: Host of Tulip Stem Eelworm, 110.

Cephalosporium aphidicola, 137.

Cercosporella herpotrichoides, 147.

Chlorfenvinphos: Seed Dressing for Control of Wheat Bulb Fly, 134.

Chloropicrin: Effect on Carabidae, 188.

Chlorphenamidine for Control of Red Spider Mite on Glasshouse Roses, 100.

Ciba C11042 for Control of:
Apple-grass Aphid, 6.
Apple Blossom Weevil, 6.
Pear-bedstraw Aphid, 6.

Clepsis spectrana, 67.

Clover: Host of Tulip Stem Eelworm, 110.

Cocksfoot Mottle Virus: Host Range and Properties, 142.

Coniothyrium fragariae, 47.

Cucumber: Host of Tulip Stem Eelworm, 110.

Cyanophos for Control of:
Apple-grass Aphid, 6.
Apple Blossom Weevil, 6.
Pear-bedstraw Aphid, 6.

Dactylis spp.: Hosts of Cocksfoot Mottle Virus, 143.

Dazomet: Effect on Carabidae, 188.

Dazomet for Control of *Ditylenchus dipsaci* in Onions, 89.

DDT for Control of:
Apple-grass Aphid, 6.
Apple Blossom Weevil, 6.
Apple Capsid, 6.
Apple Sucker, 5.
Pear-bedstraw Aphid, 6.
Tortricids on Apple, 4.
Winter Moth, 3.

Demeton-S-methyl for Control of Red Spider Mite on Glasshouse Roses, 100.

'Dexon' for Control of Sugar Beet Seedling Diseases, 18.

Dichlofluanid for Control of Leaf Diseases in Barley, 49.

Dichlone for Control of Sugar Beet Seedling Diseases, 18.

Dichlorvos for Control of:
Apple-grass Aphid, 6.
Apple Blossom Weevil, 6.
Apple Capsid, 6.
Apple Sucker, 5.
Pear-bedstraw Aphid, 6.
Tortricids on Apple, 4.
Winter Moth, 3.

Dicofol for Control of Red Spider Mite on Glasshouse Roses, 100.

Dimethirimol: Effect on *Cephalosporium aphidicola in vitro*, 137.

Dimethoate for Control of:
Apple-grass Aphid, 6.
Apple Blossom Weevil, 6.
Pear-bedstraw Aphid, 6.

Dinobuton for Control of Red Spider Mite on Glasshouse Roses, 100.

Ditylenchus dipsaci, 89, 109.

'Dowco 275' for Control of Potato Cyst Nematode, 155.

Drechslera teres, 23.

Du Pont 1410 for Control of Strawberry Red Core, 35.

Du Pont 1642 for Control of:
Apple-grass Aphid, 6.
Apple Blossom Weevil, 6.
Pear-bedstraw Aphid, 6.
Red Spider Mite on Glasshouse Roses, 100.
Tortricids on Apple, 4.
Winter Moth, 3.

'Dursban' for Control of:
Apple-grass Aphid, 6.
Apple Blossom Weevil, 6.
Apple Capsid, 6.
Apple Sucker, 5.
Pear-bedstraw Aphid, 6.
Tortricids on Apple, 4.
Winter Moth, 3.

Eelworm:
Control of *Ditylenchus dipsaci* in Onions with Aldicarb and Dazomet, 89.
Effect of 'Dowco 275' on Potato Cyst Nematode, 155.
Host plants of Tulip Stem Eelworm, 109.
Micro-container Technique for studying Virus Transmission, 114.
Reaction of Oat Cultivars to *Meloidogyne naasi*, 41.
Resistance of Hybrids of *Solanum* ssp. to *Heterodera rostochiensis*, 86.
Stem and Inflorescence Galls on Yarrow caused by *Anguina millefolii*, 46.

Encarsia partenopea, 145.

Encarsia tricolor, 145.

Endosulfan for Control of:
Red Spider Mite on Glasshouse Roses, 100.
Strawberry Mite, 92.

Erioischia brassicae, 10, 84.

Erioischia floralis, 10.

Erwinia amylovora, 121.

Erysiphe graminis, 23, 49, 60, 73.

Ethion: Seed Dressing for Control of Wheat Bulb Fly, 134.

Ethirimol for Control of Mildew on Winter Barley, 73.

Ethyl Mercuric Phosphate for Control of *Pleospora bjoerlingii* in Sugar Beet, 16.

Ethylene dibromide: Effect on Carabidae, 188.

Fenazaflor for Control of:
Red Spider Mite on Glasshouse Roses, 100.

Fenitrothion for Control of:
Apple-grass Aphid, 6.
Apple Blossom Weevil, 6.
Apple Capsid, 6.
Apple Sucker, 5.
Pear-bedstraw Aphid, 6.
Tortricids on Apple, 4.
Winter Moth, 3.

Formetanate for Control of Red Spider Mite on Glasshouse Roses, 100.

Fun 52.133 for Control of Strawberry Red Core, 35.

Fusarium avenaceum, 48.

Fusarium oxysporum f. *dianthi*, 182.

Fusarium sulphureum, 195.

G.S. 19851 for Control of Red Spider Mite on Glasshouse Roses, 100.

Harpalus rufipes, 189.

Hawthorn: Occurrence of Strands of *Erwinia amylovora*, 122.

Heterodera rostochiensis, 86, 155.

Hordeum spp.: Hosts of Cocksfoot Mottle and Phleum Mottle Viruses, 143.

Iodofenphos for Control of:
Apple-grass Aphid, 6.
Apple Blossom Weevil, 6.
Apple Capsid, 6.
Apple Sucker, 5.
Pear-bedstraw Aphid, 6.
Tortricids on Apple, 4.
Winter Moth, 3.

Lagurus ovatus: Host of Cocksfoot Mottle Virus, 143.

Leistus ferrugineus, 189.

Leptohylemyia coarctata, 83, 124, 133.

Lime Sulphur for Control of Leaf Diseases in Barley, 49.

Lolium Mottle Virus, 118.

Loricera pilicornis, 189.

Lucerne: Thiabendazole for Control of Verticillium Wilt, 129.

Macrosiphum euphorbiae, 69.

Maneb for Control of Sugar Beet Seedling Diseases, 18.

Mangel: Host of Tulip Stem Eelworm, 110.

Meliodogyne naasi, 41.

Metaldehyde for Control of Slugs on Winter Wheat, 77.

Methidathion for Control of:
Apple-grass Aphid, 6.
Apple Blossom Weevil, 6.
Apple Capsid, 6.
Apple Sucker, 5.
Pear-bedstraw Aphid, 6.
Tortricids on Apple, 4.
Winter Moth, 3.

Methiocarb for Control of Slugs on Winter Wheat, 77.

Methomyl for Control of Red Spider Mite on Glasshouse Roses, 100.

Mushroom:
Drippy Gill, 146.
Oozing Gills and Brown Blotch caused by *Pseudomonas* sp., 146.

Mycoplasmas: Green Petal Diseases of Primula, 195.

Nebria brevicollis, 189.

Notiophilus aquaticus, 189.

Notiophilus biguttatus, 189.

Notiophilus substriatus, 189.

Oats: Reaction of Cultivars to *Meloidogyne naasi*, 41.

Onion:
Control of *Ditylenchus dipsaci* with Aldicarb and Dazomet, 89.
Host of Tulip Stem Eelworm, 110.

Ophiobolus graminis, 147

Oxycarboxin for Control of Leaf Diseases in Barley, 49.

Panonychus ulmi, 175

Parasitism of Cabbage Whitefly by *Encarsia* spp., 145.

Pea: Host of Tulip Stem Eelworm, 110.

Pear:
Alternatives to DDT to control Preblossom Pests, 1.
Occurrence of Strands of *Erwinia amylovora*, 122.

Pegohylemyia fugax, 96.

Pelargonium:
Black Stem Rot (*Pythium splendens*), 95.
Tomato Ringspot Virus in England, 46.
Verticillium Wilt, 158.

'Pentac' for Control of Red Spider Mite on Glasshouse Roses, 100.

Phalaris spp.: Hosts of Cocksfoot Mottle Virus, 143.

Phenylmercuric chloride for Suppression of Ascospore Production by *Venturia inaequalis*, 19.

Phleum Mottle Virus: Hosts Range and Properties, 142.

Phleum spp.: Hosts of Phleum Mottle Virus, 143.

Phosalone for Control of:
Apple-grass Aphid, 6.
Apple Blossom Weevil, 6.
Apple Capsid, 6.
Apple Sucker, 5.
Pear-bedstraw Aphid, 6.
Tortricids on Apple, 4.
Winter Moth, 3.

Phosmet for Control of:
Apple-grass Aphid, 6.
Apple Blossom Weevil, 6.
Apple Capsid, 6.
Apple Sucker, 5.
Pear-bedstraw Aphid, 6.
Tortricids on Apple, 4.
Winter Moth, 3.

Phytophthora fragariae, 35.

Phytoseiulus persimilis, 163.

Pirimiphos-methyl for Control of:
Apple-grass Aphid, 6.
Apple Blossom Weevil, 6.
Pear-bedstraw Aphid, 6.

Phoma betae, 16.

Phytophthora fragariae, 38.

Plasmodiophora brassicae, 145.

Pleospora bjoerlingii, 16.

Polypogon martimus: Host of Phleum Mottle Virus, 143.

Potato:
Distribution of Pink and Green Biotypes of Potato Aphid on Plants, 69.
Dry Rot caused by *Fusarium sulphureum*, 195.
Effect of 'Dowco 275' on Potato Cyst Nematode, 155.
Resistance of Hybrids of *Solanum* ssp. to *Heterodera rostochiensis*, 86.
Weather, Soil- and Seed-borne Inoculum in determining Incidence of Common Scab, 105.

Primula: Green Petal Disease, 195.

Pseudomonas agarici, 146.

Pterostichus madidus, 189.

Pterostichus vulgaris, 189.

Puccinia hordei, 23, 49, 60.

Puccinia striiformis, 23, 50, 60.

Pyrenophora teres, 50, 60.

Pythium splendens, 95.

Quince: Occurrence of Strands of *Erwinia amylovora*, 122.

Quinomethionate for Control of Red Spider Mite on Glasshouse Roses, 100.

Radish: Host of Tulip Stem Eelworm, 110.

Raspberry:
52V virus in Scotland, 166.
Lateral Wilt associated with *Fusarium avenaceum*, 48.

Rhizoctonia solani, 16.

Rhodobium porosum, 98.

Rhynchosporium secalis, 23, 49, 60.

Rose:
Aulacaspis rosae in Scotland, 96.
Chemical Control of Red Spider Mite in Glasshouses, 99.
Control of *Tetranychus urticae* by *Phytoseiulus persimilis*, 163.
New Transmissible Colour-break in Britain, 97.
Rhodobium porosum introduced into England, 98.

Secale cereale: Host of Cocksfoot Mottle and Phleum Mottle Viruses, 143.

Seed Disinfection: Control of *Pleospora bjoerlingii* in Sugar Beet, 16.

Selenophoma donacis, 23, 49, 60.

Slugs: Control on Winter Wheat, 77.

Strawberry:
Coniothyrium fragariae in Scotland, 47.
Control of Mite with Endosulfan on Mown and Unmown Plants, 92.
Control of Red Core with Fungicides and Insecticide, 35.
Race and Pathogenicity of *Phytophthora fragariae* from Hampshire, 38.
Rhodobium porosum introduced into England, 98.

Streptomyces scabies, 105.

Sugar Beet: Incidence of Seedling Diseases and Effects of Seed Treatment, 16.

Surveys:
Foliar Diseases of Spring Barley in England and Wales 1967–70, 23.
Leaf Diseases of Spring Barley in South-west England, 59.

Swede:
Host of Tulip Stem Eelworm, 110.
Separation of Eggs of *Erioischia brassicae* and *E. floralis*, 10.

Sweet Corn: Host of Tulip Stem Eelworm, 110.

Tarsonemus fragariae, 92.

Teazle: Host of Tulip Stem Eelworm, 110.

Tetradifon for Control of Red Spider Mite on Glasshouse Roses, 100.

Tetranychus urticae, 99, 163.

Thiabendazole for Control of Verticillium Wilt, 129.

Thiabendazole for Suppression of Ascospore Production by *Venturia inaequalis*, 19.

'Torak' for Control of:
Apple-grass Aphid, 6.
Apple Blossom Weevil, 6.
Pear-bedstraw Aphid, 6.
Red Spider Mite on Glasshouse Roses, 100.
Tortricids on Apple, 4.
Winter Moth, 3.

Trechus quadristriatus, 189.

Triarimol: Effect on *Cephalosporium aphidicola in vitro*, 137.

Triarimol for Suppression of Ascospore Production by *Venturia inaequalis*, 19.

Trichlorphon for Control of:
Apple Capsid, 6.
Apple Sucker, 5.
Tortricids on Apple, 4.
Winter Moth, 3.

Triticum aestivum: Host of Cocksfoot Mottle Virus, 143.

Tulip: Tomato Bushy Stunt Virus, 171.

Turnip: Host of Tulip Stem Eelworm, 110.

Tylenchorhynchus dubius, 112.

Urea for Suppression of Ascospore Production by *Venturia inaequalis*, 19.

Vegetable Marrow: Host of Tulip Stem Eelworm, 110.

Venturia inaequalis, 19.

Verticillium albo-atrum, 129, 158.

Verticillium dahliae, 158.

Virus Diseases:
52V virus in Scotland, 166.
Barley Yellow Dwarf Virus, 23.
Host Range and Properties of Cocksfoot Mottle and Phleum Mottle Viruses, 142.
Lolium Mottle Virus, 118.
Micro-container Technique for studying Transmission by Nematodes, 114.
Tomato Bushy Stunt Virus in Tulip, 171.
Tomato Ringspot Virus in Pelargonium 46.

Weather in England and Wales:
Autumn and Winter, 1971–72, 141.
Spring and Summer 1971, 45.

Wheat:
Continuous Breeding of Bulb Fly, 124.
Control of Slugs, 77.
Egg-shell of Bulb Fly, 83.
Influence of Stubble Treatment and Autumn Nitrogen on Incidence of Take-all and Eyespot, 147.
Seed Dressings to decrease Wheat Bulb Fly, 133.

Xiphinema diversicaudatum, 114.

Yarrow: Stem and Inflorescence Galls caused by *Anguina millefolii*, 46.

Zineb for Control of Leaf Diseases in Barley, 49.

Printed in England for Her Majesty's Stationery Office by J. Looker Ltd., 82 High Street, Poole, Dorset.
Dd. 500830 K13. 12/72